




AJAY ENTERPRISES

 **JAY POLES**
LIGHTING THE STREETS

We are manufacturers of M.S. Steel Swaged Tubular Poles and accessories. You can further contact us for any types of Swaged Tubular Poles, Octagonal Poles, M.S. Square Poles, Decorative garden Poles, Cast Iron Poles, FRP poles, Design Brackets.



Octagonal Poles


Octagonal poles are Tapered poles, having larger bottom diameter and smaller top diameter. Octagonal Poles are made by bending steel plates into an Octagonal cross-section These poles are single line welded from top to bottom.




Most Popular



PRATISAN BRACKET




PHOENIX BRACKET



SCYTHE BRACKET



SWORD BRACKET



HORNET BRACKET




TOMAHAWK BRACKET



OCTAGONAL POLES SIZE CHART

Height (meters)	Top Dia A/F (mm)	Bottom Dia A/F (mm)	Sheet Thickness (mm)	Baseplate Dimensions (mm)	Foundation Bolts (mm)
3	70	130	3	200 x 200 x 12	M16 x 600
4	70	130	3	200 x 200 x 12	M16 x 600
5	70	130	3	200 x 200 x 12	M16 x 600
6	70	130	3	220 x 220 x 12	M20 x 600
7	70	130	3	220 x 220 x 12	M20 x 600
8	70	135	3	225 x 225 x 16	M20 x 750
9	70	155	3	250 x 250 x 16	M24 x 750
9	100	200	3	275 x 275 x 16	M24 x 750
10	70	175	3	275 x 275 x 16	M24 x 750
11	90	210	3	300 x 300 x 20	M24 x 750
12	90	240	3	320 x 320 x 20	M24 x 750





Swaged Tubular Pole


Swage Tubular Poles are made by circumferentially welding sections of pipe which are Swaged and are overlapped which provides high strength and stability.




Most Popular



ARROW SPIKE BRACKET



KABU TOWAR BRACKET



HAMMER BRACKET



RAPTOR BRACKET



SICKLE BRACKET



SABER BRACKET



SWAGED TYPE TUBULAR POLES SIZE CHART

SWAGED TYPE STEEL TUBULAR POLES - 410-SP-Mpa AS PER IS : 2713 (PART II) - 1980																		
Designation	Over All Length L	Plantin g Depth	Load Applied from Top at H	Height above ground H	Length of Sections			Outside Diameter and Thickness of Sections			Approx. Weight of Pole	Breaking Load	Crippling Load	Working Load		Load for Permanent Set not Exceeding 13 mm		Load for Temporary Deflection of 157.5 mm
					Bottom h3	Middle h2	Top h1	Bottom h3	Middle h2	Top h1				Col 14 2	Col 13 2.5	(17) N(kg)	(18) N(kg)	
(1) (m)	(2) (m)	(3) (m)	(4) (m)	(5) (m)	(6) (m)	(7) (m)	(8) (m)	(9) (mm)	(10) (mm)	(11) (mm)	(12) (kg)	(13) (kg)	(14) N(kg)	(15) n(kg)	(16) (Nkg)	(17) N(kg)	(18) N(kg)	
410SP-2	7	1.25	0.3	5.75	4	1.5	1.5	114.3 x	88.9 x 4.05	76.1x3.25	73	3100 (316)	2240 (224)	1100 (112)	1240 (126)	1510 (154)	941 (96)	
410SP-3	7	1.25	0.3	5.75	4	1.5	1.5	114.3 x	88.9 x 4.85	76.1x3.25	85	3630 (370)	2580 (263)	1280 (131)	1450 (148)	1760 (180)	1090 (111)	
410SP-4	7.5	1.25	0.3	6.25	4.5	1.5	1.5	224.3 x	88.9 x 3.25	76.1x3.25	67	2350 (240)	1670 (170)	1320 (135)	941 (96)	1150 (117)	627 (64)	
410SP-5	7.5	1.25	0.3	6.25	4.5	1.5	1.5	114.3 x	88.9 x 4.05	76.1x3.25	79	2760 (281)	1960 (200)	981 (100)	1100 (112)	1340 (137)	745 (76)	
410SP-6	7.5	1.25	0.3	6.25	4.5	1.5	1.5	114.3 x	88.9 x 4.85	76.1x3.25	93	3320 (339)	2360 (241)	1180 (120)	1330 (136)	1620 (165)	873 (89)	
410SP-7	7.5	1.25	0.3	6.25	4.5	1.5	1.5	139.7 x	114.3 x 3.65	88.9x3.25	97	4330 (442)	3080 (314)	1540 (157)	1740 (177)	2110 (215)	1400 (143)	
410SP-8	7.5	1.25	0.3	6.25	4.5	1.5	1.5	139.7 x	114.3 x 3.65	88.9x3.25	103	4630 (472)	3280 (335)	1650 (168)	1850 (189)	2250 (229)	1480 (151)	
410SP-9	7.5	1.25	0.3	6.25	4.5	1.5	1.5	139.7 x	114.3 x 3.65	88.9x3.25	110	5100 (520)	3620 (369)	1810 (185)	2040 (208)	2480 (253)	1600 (163)	
410SP-10	8	1.25	0.3	6.5	4.5	1.75	1.75	114.3 x	88.9 x 3.25	76.1x3.25	70	2260 (230)	1600 (163)	804 (82)	902 (92)	1110 (112)	520 (53)	
410SP-11	8	1.25	0.3	6.5	4.5	1.75	1.75	114.3 x	88.9 x 4.05	76.1x3.25	83	2730 (278)	1930 (197)	971 (99)	1090 (111)	1320 (135)	618 (63)	
410SP-12	8	1.5	0.3	6.5	4.5	1.75	1.75	114.3 x	88.9 x 4.85	76.1x3.25	97	3190 (325)	2270 (231)	1130 (115)	1270 (130)	1550 (158)	725 (74)	
410SP-13	8	1.5	0.3	6.5	4.5	1.75	1.75	139.7 x	114.3 x 3.65	88.9x3.25	101	4160 (424)	2950 (301)	1480 (151)	1670 (170)	2020 (206)	1180 (120)	
410SP-14	8	1.5	0.3	6.5	4.5	1.75	1.75	139.7 x	114.3 x 4.50	88.9x3.25	111	4440 (453)	3160 (322)	1580 (161)	1770 (181)	2160 (220)	1280 (131)	
410SP-15	8	1.5	0.3	6.5	4.5	1.75	1.75	139.7 x	114.3 x 4.50	88.9x3.25	119	4890 (499)	3470 (354)	1740 (177)	1960 (200)	2380 (243)	1380 (140)	
410SP-16	8.5	1.5	0.3	7	5	1.75	1.75	114.3 x	88.9 x 3.25	76.1x3.25	75	2090 (213)	1480 (151)	745 (76)	834 (85)	1020 (104)	432 (44)	
410SP-17	8.5	1.5	0.3	7	5	1.75	1.75	114.3 x	88.9 x 4.05	76.1x3.25	89	2520 (257)	1790 (182)	893 (91)	1010 (103)	1230 (125)	510 (52)	
410SP-18	8.5	1.5	0.3	7	5	1.75	1.75	114.3 x	88.9 x 4.85	76.1x3.25	104	2950 (301)	2100 (214)	1050 (107)	1180 (120)	1430 (146)	598 (61)	
410SP-19	8.5	1.5	0.3	7	5	1.75	1.75	139.7 x	114.3 x 3.65	88.9x3.25	109	3844 (392)	2730 (278)	1360 (139)	1540 (157)	1800 (191)	961 (98)	
410SP-20	8.5	1.5	0.3	7	5	1.75	1.75	139.7 x	114.3 x 3.65	88.9x3.25	115	5110 (419)	2910 (297)	1460 (140)	1650 (168)	2000 (204)	1010 (103)	
410SP-21	8.5	1.5	0.3	7	5	1.75	1.75	139.7 x	114.3 x 4.50	88.9x3.25	129	4530 (462)	3220 (328)	1620 (164)	1810 (185)	2210 (225)	1130 (115)	
410SP-22	8.5	1.5	0.3	7	5	1.75	1.75	165.1 x	139.7 x 4.50	114.3 x 3.65	141	5450 (5556)	3870 (395)	1930 (197)	2180 (222)	2650 (270)	1730 (176)	
410SP-23	8.5	1.5	0.3	7	5	1.75	1.75	165.1 x	139.7 x 4.50	114.3 x 3.61	148	5840 (596)	4150 (423)	2080 (212)	2330 (238)	2840 (290)	1820 (186)	
410SP-24	8.5	1.5	0.3	7	5	1.75	1.75	165.1 x	139.7 x 4.50	114.3 x 3.65	158	6450 (658)	4580 (467)	2340 (234)	2579 (263)	3140 (320)	1970 (201)	
410SP-25	9	1.5	0.3	7.5	5	2	2	114.3 x	88.9 x 3.25	76.1x3.25	78	1940 (198)	1380 (141)	686 (70)	775 (79)	941 (96)	333 (34)	
410SP-26	9	1.5	0.3	7.5	5	2	2	114.3 x	88.9 x 4.05	76.1x3.25	92	2340 (239)	1670 (170)	834 (85)	941 (96)	1140 (116)	402 (41)	
410SP-27	9	1.5	0.3	7.5	5	2	2	114.3 x	88.9 x 4.85	76.1x3.25	108	2750 (280)	1950 (199)	971 (99)	1100 (112)	1330 (136)	461 (47)	
410SP-28	9	1.5	0.3	7.5	5	2	2	139.7 x	114.3 x 3.65	88.9x3.25	113	3580 (365)	2540 (259)	1270 (130)	1430 (146)	1740 (177)	745 (76)	
410SP-29	9	1.5	0.3	7.5	5	2	2	139.7 x	114.3 x 4.50	88.9x3.25	125	3820 (390)	2728 (277)	1350 (138)	1530 (156)	1860 (190)	814 (83)	
410SP-30	9	1.5	0.3	7.5	5	2	2	139.7 x	114.3 x 4.50	88.9x3.25	133	4220 (430)	2990 (305)	1500 (153)	1690 (172)	2050 (209)	882 (90)	
410SP-31	9	1.5	0.3	7.5	5	2	2	165.1 x	139.7 x 4.50	114.3 x 3.65	147	5070 (517)	3600 (367)	1800 (184)	2030 (207)	2460 (251)	1360 (139)	
410SP-32	9	1.5	0.3	7.5	5	2	2	165.1 x	139.7 x 4.50	114.3 x 3.65	154	5430 (554)	3850 (393)	1930 (197)	2180 (222)	2640 (269)	1430 (146)	
410SP-33	9	1.5	0.3	7.5	5	2	2	165.1 x	139.7 x 4.50	114.3 x 3.65	154	6000 (612)	4270 (435)	2130 (217)	2410 (245)	2910 (297)	1540 (157)	
410SP-34	9.5	1.8	0.6	7.7	5	2.25	2.25	139.7 x	114.3 x 4.50	88.9 x 3.25	122	3630 (370)	2580 (263)	1280 (131)	1450 (148)	1760 (180)	745 (76)	
410SP-35	9.5	1.8	0.6	7.7	5	2.25	2.25	139.7 x	114.3 x 4.50	88.9 x 3.25	129	3880 (396)	2760 (281)	1390 (142)	1550 (158)	1880 (192)	784 (80)	
410SP-36	9.5	1.8	0.6	7.7	5	2.25	2.25	139.7 x	114.3 x 4.50	88.9 x 3.25	137	4280 (436)	3040 (310)	1520 (155)	1710 (174)	2080 (212)	833 (85)	
410SP-37	9.5	1.8	0.6	7.7	5	2.25	2.25	165.1 x	139.7 x 4.50	114.3 x 3.65	153	5150 (525)	3660 (373)	1820 (186)	2060 (210)	2500 (255)	1300 (133)	
410SP-38	9.5	1.8	0.6	7.7	5	2.25	2.25	165.1 x	139.7 x 4.50	114.3 x 3.65	160	5510 (562)	3910 (399)	1960 (200)	2210 (225)	2680 (272)	1370 (140)	
410SP-39	9.5	1.8	0.6	7.7	5	2.25	2.25	165.1 x	139.7 x 4.50	114.3 x 3.65	170	6090 (621)	4320 (441)	2160 (220)	2430 (248)	2960 (302)	1480 (151)	



SWAGED TYPE TUBULAR POLES SIZE CHART

410SP-42	10	1.8	0.6	8.2	5.2	2.4	2.4	139.7 x	114.3 x 4.50	88.9 x 3.25	144	3990 (407)	2830 (289)	1410 (144)	1600 (163)	1940 (198)	677 (69)
410SP-43	10	1.8	0.6	8.2	5.2	2.4	2.4	165.1 x	139.7 x 4.50	114.3 x 3.65	160	4810 (490)	3410 (348)	1710 (174)	1920 (196)	2330 (238)	1060 (108)
410SP-44	10	1.8	0.6	8.2	5.2	2.4	2.4	165.1 x	139.7 x 4.50	114.3 x 3.65	168	5150 (525)	3660 (373)	1820 (186)	2060 (210)	2500 (255)	1120 (114)
410SP-45	10	1.8	0.6	8.2	5.2	2.4	2.4	165.1 x	139.7 x 4.50	114.3 x 3.65	178	5690 (580)	4040 (412)	2020 (206)	2280 (232)	2760 (282)	1200 (122)
410SP-46	10	1.8	0.6	8.2	5.2	2.4	2.4	193.7 x	165.1 x 4.50	139.7 x 4.50	208	7210 (735)	5120 (522)	2560 (261)	2880 (294)	3500 (357)	1850 (189)
410SP-47	10	1.8	0.6	8.2	5.2	2.4	2.4	193.7 x	165.1 x 4.50	139.7 x 4.50	221	7910 (807)	5620 (573)	2800 (286)	3170 (323)	3840 (392)	1990 (203)
410SP-48	10	1.8	0.6	8.2	5.2	2.4	2.4	193.7 x	165.1 x 4.50	139.7 x 4.50	233	8620 (879)	6120 (624)	3060 (312)	3450 (352)	4190 (427)	2110 (215)
410SP-49	11	1.8	0.6	9.2	5.6	2.7	2.7	139.7 x	114.3 x 4.50	88.9 x 3.25	140	3000 (306)	2130 (217)	1070 (109)	1200 (122)	1460 (149)	412 (42)
410SP-50	11	1.8	0.6	9.2	5.6	2.7	2.7	139.7 x	114.3 x 4.50	88.9 x 3.25	147	3210 (327)	2280 (232)	1140 (116)	1280 (131)	1560 (159)	431 (44)
410SP-51	11	1.8	0.6	9.2	5.6	2.7	2.7	139.7 x	114.3 x 5.40	88.9 x 3.25	164	3530 (360)	2510 (256)	1260 (128)	1410 (144)	1720 (175)	480 (49)
410SP-52	11	1.8	0.6	9.2	5.6	2.7	2.7	165.1 x	139.7 x 4.50	114.3 x 3.65	175	4250 (433)	3010 (307)	1510 (154)	1700 (173)	2060 (210)	726 (74)
410SP-53	11	1.8	0.6	9.2	5.6	2.7	2.7	165.1 x	139.7 x 4.50	114.3 x 3.65	183	4550 (464)	3230 (329)	1620 (165)	1820 (186)	2220 (226)	765 (78)
410SP-54	11	1.8	0.6	9.2	5.6	2.7	2.7	165.1 x	139.7 x 4.50	114.3 x 3.65	194	5030 (513)	3570 (364)	1780 (182)	2010 (205)	2440 (249)	814 (83)
410SP-55	11	1.8	0.6	9.2	5.6	2.7	2.7	193.7 x	165.1 x 4.50	139.7 x 4.50	227	6370 (650)	4530 (462)	2260 (231)	2550 (260)	3100 (316)	1270 (130)
410SP-56	11	1.8	0.6	9.2	5.6	2.7	2.7	193.7 x	165.1 x 4.50	139.7 x 4.50	241	6990 (713)	4820 (502)	2480 (253)	2790 (285)	3400 (347)	1370 (140)
410SP-57	11	1.8	0.6	9.2	5.6	2.7	2.7	193.7 x	165.1 x 4.85	139.7 x 4.50	256	7620 (777)	5410 (552)	2710 (276)	3050 (311)	3710 (378)	1470 (150)
410SP-58	12	2	0.6	10	5.8	3.1	3.1	165.1 x	139.7 x 4.50	114.3 x 3.65	186	3880 (396)	2760 (281)	1380 (141)	1550 (158)	1880 (192)	539 (55)
410SP-59	12	2	0.6	10	5.8	3.1	3.1	165.1 x	139.7 x 4.50	114.3 x 3.65	197	4160 (424)	2950 (301)	1480 (151)	1670 (170)	2020 (206)	569 (58)
410SP-60	12	2	0.6	10	5.8	3.1	3.1	165.1 x	139.7 x 4.50	114.3 x 3.65	208	4600 (469)	3270 (333)	1630 (166)	1840 (188)	2240 (228)	598 (61)
410SP-61	12	2	0.6	10	5.8	3.1	3.1	193.7 x	165.1 x 4.50	139.7 x 4.50	245	5820 (594)	4140 (422)	2070 (211)	2330 (238)	2830 (289)	951 (97)
410SP-62	12	2	0.6	10	5.8	3.1	3.1	193.7 x	165.1 x 4.50	139.7 x 4.50	259	6390 (652)	4540 (463)	2270 (231)	2560 (261)	3110 (317)	1010 (103)
410SP-63	12	2	0.6	10	5.8	3.1	3.1	193.7 x	165.1 x 4.85	139.7 x 4.50	277	6960 (710)	4940 (504)	2470 (252)	2709 (284)	3390 (345)	1090 (111)
410SP-64	12	2	0.6	10	5.8	3.1	3.1	219.1 x	193.7 x 4.85	165.1 x 4.50	292	7490 (764)	5320 (542)	2660 (271)	3000 (306)	3640 (371)	1460 (140)
410SP-65	12	2	0.6	10	5.8	3.1	3.1	219.1 x	193.7 x 4.85	165.1 x 4.50	313	8530 (871)	6060 (618)	3030 (309)	3410 (348)	4150 (423)	1610 (164)
410SP-66	12	2	0.6	10	5.8	3.1	3.1	219.1 x	193.7 x 4.85	165.1 x 4.50	322	8980 (916)	6370 (650)	3190 (325)	3590 (366)	4360 (445)	1660 (169)
410SP-67	13	2	0.6	11	5.8	3.6	3.6	193.7 x	165.1 x 4.50	139.7 x 4.50	261	5270 (590)	3740 (381)	1870 (191)	2110 (215)	2560 (261)	677 (69)
410SP-68	13	2	0.6	11	5.8	3.6	3.6	193.7 x	165.1 x 4.85	139.7 x 4.50	281	5790 (590)	4110 (419)	2050 (209)	2310 (236)	2810 (287)	735 (75)
410SP-69	13	2	0.6	11	5.8	3.6	3.6	193.7 x	165.1 x 5.40	139.7 x 4.50	302	6300 (642)	4470 (456)	2240 (228)	2520 (257)	3060 (312)	794 (81)
410SP-70	13	2	0.6	11	5.8	3.6	3.6	219.1 x	193.7 x 4.85	165.1 x 4.50	312	6780 (691)	4820 (491)	2400 (245)	2710 (276)	3300 (336)	1060 (108)
410SP-71	13	2	0.6	11	5.8	3.6	3.6	219.1 x	193.7 x 4.85	165.1 x 4.50	333	7720 (787)	5480 (559)	2740 (279)	3090 (315)	3750 (382)	1160 (118)
410SP-72	13	2	0.6	11	5.8	3.6	3.6	219.1 x	193.7 x 4.85	165.1 x 4.50	343	8120 (828)	5770 (588)	2880 (294)	3250 (331)	3940 (402)	1190 (121)
410SP-73	14.5	2	0.6	12.5	6.5	4	4	193.7 x	165.1 x 4.85	139.7 x 4.50	312	5050 (515)	3590 (366)	1790 (183)	2020 (206)	2450 (250)	500 (51)
410SP-74	14.5	2	0.6	12.5	6.5	4	4	193.7 x	165.1 x 5.40	139.7 x 4.50	336	5500 (561)	3900 (561)	1950 (199)	2200 (224)	2680 (273)	539 (55)
410SP-75	14.5	2	0.6	12.5	6.5	4	4	219.1 x	193.7 x 4.85	165.1 x 4.50	370	6750 (688)	4790 (488)	2390 (244)	2700 (275)	3780 (384)	775 (79)
410SP-76	14.5	2	0.6	12.5	6.5	4	4	219.1 x	193.7 x 4.85	165.1 x 4.50	380	7100 (724)	5040 (514)	2520 (257)	2840 (290)	3450 (352)	794 (81)
410SP-77	16	2.3	0.6	13.7	7	4.5	4.5	193.7 x	165.1 x 4.85	139.7 x 4.50	341	4590 (468)	3260 (332)	1630 (166)	1830 (187)	2230 (227)	363 (37)
410SP-78	16	2.3	0.6	13.7	7	4.5	4.5	193.7 x	165.1 x 5.40	139.7 x 4.50	367	5000 (510)	3550 (362)	1780 (181)	2000 (204)	2430 (248)	392 (40)
410SP-79	16	2.3	0.6	13.7	7	4.5	4.5	219.1 x	193.7 x 4.85	165.1 x 4.50	405	6130 (625)	4350 (444)	2180 (222)	2450 (250)	2980 (304)	569 (58)
410SP-80	16	2.3	0.6	13.7	7	4.5	4.5	219.1 x	193.7 x 4.85	165.1 x 4.50	416	6440 (657)	4570 (466)	2280 (233)	2580 (263)	3130 (319)	568 (60)



Garden Poles


Ajay Enterprises offers a large number of Garden Light Poles. We are engaged in offering a comprehensive range of Decorative Garden Poles to the clients. These products are manufactured using superior grade raw material and advanced machines.




Most Popular




ORACLE BRACKET



Z-SQUARE POLE



FB-03




FRANCISA BRACKET



FB-01



FB-02




Conical Poles


The most common use of conical poles is for highways, shopping streets and pedestrian area where they provide atmospheric and bright lighting. We provide single and multi fixture fittings for single and multiple lights. Ajay Enterprises provides the best solution for all your pole needs.




Most Popular




HALBERD SERIES




CAVALRY SERIES



CURVE SERIES



FRANCISA SERIES



MALIGANT BRACKET



CLASSIC SERIES




High Mast **Poles**



The High Masts are very tall poles with a number of Luminaries on top. They are used in places where the lighting is required for larger areas. The lantern carriage carries the luminaries. The lantern carriage can be lowered down for the maintenance by a motor and a gearbox. High Masts are available from 12.5 meters to up to 30 meters.




Most Popular







CROSSROAD LIGHTING



AIRPORT LIGHTING



STADIUM LIGHTING



CLIENTS WE WORKED WITH



@aniruddhabelekar19

CONTACT DETAILS

CORPORATE OFFICE,

Gate No. 768, Kudalwadi,
Behind Old Octroi Naka, Chikhali,
Pune-412114, Maharashtra, India.

95616 01942/9689194276

suhasbchavan@gmail.com

sales@ajaypoles.com

FACTORY,

D-200, Ranjangaon MIDC,
Tal - Shirur, Pune-412220,
GST-27AFSPC8568GIZW

info@ajaypoles.com

WAREHOUSE,

Gate No. 282, Santosh Nagar,
Behind Fritoly co.(Pepsico),
MIDC, Ranjangaon, Pune.